

FIG. 1A (PRIOR ART)




FIG. 1B (PRIOR ART)

"GetMax" source code text:

"GetMax" equivalent byte code:




FIG. 1C (PRIOR ART)





FIG. 1D (PRIOR ART)






FIG. 2B (prior art)




FIG. 3









FIG. 4A











= inserted matter

		701 رے
	INVOKING METHOD	PLUG IN MODULE
(method_1)	C ₁ , M ₁ , args ₁₁	PIM_A
(method_2)	C ₁ , M ₂ , args ₁₂	PIM_A
(method_3)	C ₂ , M ₁ , args ₂₁	. PIM_B
(method_4)	C ₃ , M ₁ , args ₃₁	PIM_A

FIG. 7





FIG. 8



Invocation Tree

FIG. 9A




FIG. 9B




FIG. 9C

FIG. 9D





FIG. 9E







FIG. 10B






FIG. 11B




FIG. 12




FIG. 13

FOR EACH CLASSFILE HAVING A METHOD TO BE MODIFIED:





FIG. 14







FIG. 16






FIG. 18




FIG. 19A




FIG. 19B

1921

FIG. 19C

1922





FIG. 19D



トBade - →・G B A 教swan Estewates (Shekar | 影・番 脳・島、巻・総・総・ Address (EDI)Perforestingthy operative for the state of the st

1940




FIG. 19F

<taskdef name="modify"</pre>

classname="com.sap.engine.library.bytecode.modifier.ModifierTask"

classpath="bytecode.jar"/>

ANT Builder 1902

EXT 1903

<modify conf="bytecode-modifier.properties"</pre>

inputFile="D:\temp\classes" outputFile="D:\temp\classes1"

check="true" verbosity="2" failonerror="true"/>

1950

FIG. 19G